


10-23-00

A

UTILITY PATENT APPLICATION TRANSMITTAL <small>Only for new nonprovisional applications under 37 C.F.R. § 1.53(b)</small>	Attorney Docket No.	A-6694
	First Inventor or Application No	RODRIGUEZ ET AL.
	Title	SYNCHRONIZED VIDEO-ON-DEMAND SUPPLEMENTS
	Express Mail Label No.	EL 687172949US

jc714 U.S. PTO
09/29/00

10/20/00

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents	ADDRESS TO: Box Patent Application Commissioner for Patents Washington DC 20231																
1. <input checked="" type="checkbox"/> Fee Transmittal Form (e.g. PTO/SB/17) (Submit an original and duplicate for fee processing) 2. <input checked="" type="checkbox"/> Specification [Total Pages <u>22</u>]	5. <input type="checkbox"/> Microfiche Computer Program (Appendix) 6. <input type="checkbox"/> Nucleotide and/or Amino Acid Sequence Submission (e.g. PTO/SB/17) a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies																
3. <input checked="" type="checkbox"/> Drawings (35 U.S.C. § 113) [Total Sheets <u>11</u>] 4. Oath or Declaration [Total Pages <u>4</u>] a. <input checked="" type="checkbox"/> Newly executed (original or copy) <i>Unexecuted</i> b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed) i. <input type="checkbox"/> DELETION OF INVENTORS Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b)	ACCOMPANYING APPLICATION PARTS 7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s)) 8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement <input type="checkbox"/> Power of (when there is an assignee) Attorney 9. <input type="checkbox"/> English Translation Document (if applicable) 10. <input type="checkbox"/> Information Disclosure <input type="checkbox"/> Copies of IDS Statement (IDS)/PTO-1449 Citations 11. <input type="checkbox"/> Preliminary Amendment 12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized) 13. <input type="checkbox"/> Small Entity <input type="checkbox"/> Statement filed in prior application, Statement(s) Status still proper and desired 14. <input type="checkbox"/> Certified Copy of Priority Document(s) (if foreign priority is claimed) 15. <input type="checkbox"/> Other:																
16. <input type="checkbox"/> If a CONTINUING APPLICATION , check appropriate box, and supply the information below and in a preliminary amendment: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input checked="" type="checkbox"/> Continuation-in-part (CIP) of prior application No: 09/590,520 Prior application information: Examiner: UNKNOWN Group Art Unit. 2711																	
17. CORRESPONDENCE ADDRESS <input checked="" type="checkbox"/> Customer Number or Bar Code  or <input type="checkbox"/> Correspondence address below <table border="1"> <tr> <td>Name</td> <td colspan="3"></td> </tr> <tr> <td>Address</td> <td colspan="3"></td> </tr> <tr> <td>City</td> <td></td> <td>Zip Code</td> <td></td> </tr> <tr> <td>Country</td> <td>Telephone</td> <td>Fax</td> <td></td> </tr> </table>		Name				Address				City		Zip Code		Country	Telephone	Fax	
Name																	
Address																	
City		Zip Code															
Country	Telephone	Fax															

Name (Print/type)	HUBERT J. BARNHARDT III	Registration No. (Attorney/Agent)	36,739
Signature	<i>Hubert J. Barnhardt III</i>	Date	OCTOBER 19, 2000

UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: RODRIGUEZ ET AL.

DOCKET NO.: A-6694

TITLE: SYNCHRONIZED VIDEO-ON-DEMAND SUPPLEMENTS

OCTOBER 19, 2000

FEE TRANSMITTAL FORM

Box PATENT APPLICATION
Commissioner for Patents
Washington, DC 20231

Dear Sir:

The Commissioner is hereby authorized to charge the indicated fees and any additional fees and to credit any overpayments to Deposit Account No. 19-0761

The fee is calculated as shown below.

	No. of Claims Filed	No. of Claims Paid For	No. of Extra Claims	Rate	Fee
Independent Claims	4	3	1	\$ 80.00	\$080.00
Total Claims	31	20	11	\$ 18.00	\$198.00
Multiple Dependent Claims				\$270.00	\$000.00
Basic Filing Fee				\$710.00	\$710.00
Total Filing Fee					\$988.00

One duplicate original of this sheet is enclosed.

SEND CORRESPONDENCE TO:

Scientific-Atlanta, Inc.
Intellectual Property Department
One Technology Parkway
Norcross, GA 30092-2967

By:



HUBERT J. BARNHARDT III

Attorney of Record

Reg. No.: 36,739

Phone: (770) 236-5950

Fax No.: (770) 903-4806

Certificate of Mailing

EXPRESS MAIL NO.: EL687172949US

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as EXPRESS MAIL in an envelope addressed to:

Box PATENT APPLICATION
Commissioner for Patents
Washington, DC 20231

on OCTOBER 19, 2000.


Marcia Burdick

SYNCHRONIZED VIDEO-ON-DEMAND SUPPLEMENTS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of Application No. 09/590,520, filed on
5 June 9, 2000, and claims the benefit of U.S. Provisional Application No. 60/214,987,
filed on June 29, 2000, both of which are entirely incorporated herein by reference.

FIELD OF THE INVENTION

This invention relates in general to television systems, and more
10 particularly, to the field of media on demand.

BACKGROUND OF THE INVENTION

With recent advances in digital transmission technology, cable television systems
are now capable of providing much more than the traditional analog broadcast video. In
15 implementing enhanced programming, the home communication terminal ("HCT"),
otherwise known as the set-top box, has become an important computing device for
accessing video services and navigating a subscriber through a maze of available services.
In addition to supporting traditional analog broadcast video functionality, digital HCTs
(or "DHCTs") now also support an increasing number of two-way digital services such as
20 video-on-demand.

Typically, a DHCT is connected to a cable or satellite television network and
includes hardware and software necessary to provide the functionality of the digital
television system at the client's site. Preferably, some of the software executed by a
DHCT is downloaded and/or updated via the cable television network. Each DHCT also
25 typically includes a processor, communication components and memory, and is connected
to a television or other display device, such as a personal computer. While many
conventional DHCTs are stand-alone devices that are externally connected to a television,
a DHCT and/or its functionality may be integrated into a television or personal computer,
as will be appreciated by those of ordinary skill in the art.

30 As the number of video-on-demand movie choices increases, it is becoming
increasingly important for video-on-demand providers to distinguish their video
presentations by providing viewers with more options or features, along with the video-
on-demand presentations, that will make the viewing experience more entertaining for the
viewers. In addition, many viewers today are interested in knowing more about the

movies that they are watching but simply do not have enough free time to locate and read such information. Therefore there exists a need to make the video-on-demand viewing experience more informative and entertaining.

SUMMARY OF THE INVENTION

The preferred embodiment of the invention can be viewed as a method for providing media to a user via an interactive media services client device coupled to a programmable media services server device, the method including steps of receiving user input requesting on-screen supplementary information be provided with a media presentation and providing the user with a media presentation along with supplements valid during applicable time intervals of the media presentation.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention can be better understood with reference to the following drawings. The components in the drawings are not necessarily drawn to scale, emphasis instead being placed upon clearly illustrating the principles of the present invention. In the drawings, like reference numerals designate corresponding parts throughout the several views.

FIG. 1 depicts a block diagram of a cable television system in accordance with one preferred embodiment of the present invention.

FIG. 2 depicts a diagram of the headend 11 as depicted in FIG. 1.

FIG. 3 depicts a block diagram of selected elements of a DHCT and related equipment, in accordance with one preferred embodiment of the present invention depicted in FIG. 1.

FIG. 3A is another depiction of a block diagram of selected elements of a DHCT in accordance with one preferred embodiment of the present invention depicted in FIG. 1.

FIG. 4 depicts a remote control device that can be used to provide user input to the DHCT shown in FIG. 3.

FIG. 5 depicts an example video-on-demand (VOD) rental selection window that illustrates a media rental list presented to the user by the DHCT shown in FIG. 3.

FIG. 6 depicts an example rental period selection window that is presented to the user after the user selects a media rental via the rental selection window shown in FIG. 5.

FIG. 7 depicts an example rental options selection window that is presented to the user after the user selects a rental period via the rental period selection window shown in FIG. 6.

FIG. 8 depicts a stopped video window that is presented to a user after the user stops a media presentation, containing added comments, that was being provided to the user by the DHCT depicted in FIG. 3.

FIG. 9 depicts a stopped video window that is presented to a user after the user stops a media presentation, containing no added comments, that was being provided to the user by the DHCT depicted in FIG. 3.

FIG. 10 depicts a comments selection window after the user requests added comments via the stopped video window depicted in FIG. 9.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIG. 1 is a block diagram of a cable television system 10 that includes a headend 11 connected through a network 18 to multiple DHCTs 16. The headend 11 receives and generates television signals and transmits them as optical signals over fiber optic cables 12. One or more optical nodes 13 are included in the system 10 for converting the optical signals to Radio Frequency (RF) signals that are thereafter routed over other media, such as coaxial cables 14. Taps 15 are provided within the cable system 10 for splitting the RF signal off, via cables 17, to subscriber equipment such as DHCTs 16, cable-ready television sets, video recorders, or computers. It should be appreciated, however, that the cable television system 10 shown in FIG. 1 is merely illustrative and should not be construed as implying any limitations upon the scope of the present invention.

FIG. 2 is a block diagram of portions of a headend 11 that is configured to provide media-on-demand (MOD) services in accordance with one embodiment of the present invention. MOD services include, among other things, video-on-demand (VOD) services and respective MOD information suitable to be presented to a user via display of an interactive media guide. MOD server application 19 and a plurality of other server applications 20 are connected to a digital network control system (DNCS) 23 via a high-speed network such as an Ethernet connection 32. The MOD server application 19 is responsible for reserving and configuring system resources needed to provide MOD services and for providing configuration and service data to an MOD client application 63 (FIG.3), including MOD information comprising a catalog of titles available for on-demand viewing and/or on-demand rental by a user.

The DNCS 23 provides complete management, monitoring, and control of the network's elements and broadcast services provided to users. In one implementation, the DNCS 23 uses a data insertion multiplexer 29 and a data QAM 30 to insert in-band broadcast file system (BFS) data into an MPEG-2 transport stream that is broadcast and received via DHCT's communication interface 42 and tuner system 45. The DNCS 23 also contains a session manager 34 that uses Digital Storage Media Command and Control (DSMCC) protocol to set up and maintain MOD sessions. The session manager 34 processes user to network (U-N) session signaling messages, manages allocation of session-related network resources, supports network management operations, acts as a point of contact to the network for the DHCT's 16 in the network 18 to establish individual sessions, and supports MOD services by providing the signaling interface to establish, maintain and release client initiated exclusive sessions.

A service application manager (SAM) server 25 is a server component of a client-server pair of components, with the client component being located at the DHCT 16. Together, the client-server SAM components provide a system in which the user can access services, which are identified by an application to run and a parameter, such as particular data content, specific to that service. The client-server SAM components also manage the life cycle of the applications on the system, including the definition, activation, and suspension of services they provide and the downloading of the applications into the DHCT 16 as necessary. MPEG-2 transport may be used to multiplex video, audio, and data in digital transmission channels such as channels transmitted downstream employing quadrature amplitude modulation (QAM). An MPEG-2 transport stream allows multiplexing of digital video, digital audio, and data. Multiple different video programs, each with one or more digital video streams, one or more digital audio streams, and/or multiple data streams can be multiplexed and transmitted over the same 6 MHz (or 8 MHz) RF frequency in which the DHCT's tuner tunes to. Hence, a digital transmission channel can carry the video, audio and data streams of programs of multiple television (TV) stations or on-demand video programs.

Applications on both the headend 11 and the DHCT 16 can access the data stored in a broadcast file system (BFS) server 28 in a similar manner to a file system found on operating systems. The BFS server 28 is a part of a broadcast file system that has a counterpart BFS client module 43 (FIG. 3) in a DHCT 16 connected to the network 18. The BFS server 28 repeatedly sends data for applications on a data carousel (not shown) over a period of time in cyclical repeated fashion so that a DHCT 16 that is in need of

reading any particular data file or parts thereof may receive it when requested by a user or one or more of its internal running processes.

A VOD content manager 21 is responsible for managing the content on the VOD content servers 22. The MOD server application 19 controls both the VOD content manager 21 and the VOD content servers 22 and utilizes them to help deliver the video and audio streams that make up VOD services. In one embodiment, an MOD content manager and MOD content servers (not shown) could run respectively in parallel to the VOD content manager 21 and VOD content servers 22 to manage other types of on-demand media content. In an alternate embodiment an MOD content manager replaces the VOD content manager 21 and the MOD content servers replaces the VOD content servers 22. The QAM modulators that comprise the QAM group 24 receive the MPEG-2 transport streams from the VOD content servers 22, convert them into encrypted RF signals at a specified frequency (channel), and transmit them to a DHCT 16 via the network 18.

The QPSK modem 26 is responsible for transporting the out-of-band IP (internet protocol) datagram traffic between the distribution headend 11 and a DHCT 16. Data from the QPSK modem 26 is routed by headend router 27 within the headend 11. The headend router 27 is also responsible for delivering upstream application traffic to the various server applications 19 & 20.

FIG. 3 is a block diagram illustrating a DHCT 16 that is coupled to a headend 11 and to a television 41. Some of the functionality performed by applications executed in the DHCT 16 (such as the MOD client application 63) may instead be performed at the headend 11 and vice versa. A DHCT 16 is typically situated at a user's residence or place of business and may be a stand alone unit or integrated into another device such as, for example, a television set or a personal computer. The DHCT 16 preferably includes a communications interface 42 for receiving signals (video, audio and/or other data) from the headend 11 through the network 18 and for providing any reverse information to the headend 11 through the network 18. The DHCT 16 further includes at least one processor 44 for controlling operations of the DHCT 16, an RF output system 48 for driving the television display 41, and a tuner system 45 for tuning into a particular television channel to be displayed and for sending and receiving various types of data or media from the headend 11. The tuner system 45 includes, in one implementation, an out-of-band tuner for bi-directional quadrature phase shift keying (QPSK) data communication and a quadrature amplitude modulation (QAM) tuner for receiving television signals. Additionally, a receiver

46 receives externally-generated information, such as user inputs or commands from other devices.

The DHCT 16 may also include one or more wireless or wired interfaces, also called ports, for receiving and/or transmitting data to other devices. For instance, the DHCT 16 may feature USB (Universal Serial Bus), Ethernet (for connection to a computer), IEEE-1394 (for connection to media devices in an entertainment center), serial, and/or parallel ports. The user inputs may, for example, be provided by a computer or transmitter with buttons or keys located either on the exterior of the terminal or by a hand-held remote control device or keyboard that includes user-actuated buttons.

In one implementation, the DHCT 16 includes system memory 49, which includes flash memory 51 and dynamic random access memory (DRAM) 52, for storing various applications, modules and data for execution and use by the processor 44. Basic functionality of the DHCT 16 is provided by an operating system 53 that is primarily stored in flash memory 51. Among other things, the operating system 53 includes at least one resource manager 67 that provides an interface to resources of the DHCT 16 such as, for example, computing resources.

An application referred to as navigator 55 is also resident in flash memory 51 for providing a navigation framework for services provided by the DHCT 16. The navigator 55 registers for and in some cases reserves certain user inputs related to navigational keys such as channel increment/decrement, last channel, favorite channel, etc. The client applications may be resident in flash memory 51 or downloaded into DRAM 52. The navigator 55 also provides users with television related menu options that correspond to DHCT functions such as, for example, providing an interactive program guide, blocking a channel or a group of channels from being displayed in a channel menu, and displaying a video-on-demand purchase list.

The flash memory 51 also contains a platform library 56. The platform library 56 is a collection of utilities useful to applications, such as a timer manager, a compression manager, a configuration manager, an HTML parser, a database manager, a widget toolkit, a string manager, and other utilities (not shown). These utilities are accessed by applications via application programming interfaces (APIs) as necessary so that each application does not have to contain these utilities. Two components of the platform library 56 that are shown in FIG. 3 are a window manager 59 and a service application manager client (SAM) 57.

The window manager 59 provides a mechanism for implementing the sharing of the screen regions and user input. The window manager 59 on the DHCT 16 is responsible for,

as directed by one or more applications, implementing the creation, display, and de-allocation of the limited DHCT 16 screen resources. It allows multiple applications to share the screen by assigning ownership of screen regions, or windows. The window manager 59 also maintains, among other things, a user input registry 50 in DRAM 52 so that when a user enters a key or a command via the remote control device 80 or another input device such as a keyboard or mouse, the user input registry 50 is accessed to determine which of various applications running on the DHCT 16 should receive data corresponding to the input key and in which order. As an application is executed, it registers a request to receive certain user input keys or commands. When the user presses a key corresponding to one of the commands on the remote control device 80, the command is received by the receiver 46 and relayed to the processor 44. The processor 44 dispatches the event to the operating system 53 where it is forwarded to the window manager 59 which ultimately accesses the user input registry 50 and routes data corresponding to the incoming command to the appropriate application.

The SAM client 57 is a client component of a client-server pair of components, with the server component being located on the headend 11. A SAM database 60 in DRAM 52 includes a data structure of services and a data structure of channels that are created and updated by the headend 11. Many services can be defined using the same application component, with different parameters. Examples of services include, without limitation and in accordance with one implementation, presenting television programs (available through a WatchTV application 62), pay-per-view events (available through a PPV application 64), digital music (not shown), media-on-demand (available through an MOD application 63), and an interactive program guide. In general, the identification of a service includes the identification of an executable application that provides the service along with a set of application-dependent parameters that indicate to the application the service to be provided. As a non-limiting example, a service of presenting a television program could be executed with a set of parameters to view HBO or with a separate set of parameters to view CNN. Each association of the application component (tune video) and one parameter component (HBO or CNN) represents a particular service that has a unique service I.D. The SAM client 57 also interfaces with the resource manager 67, as discussed below, to control resources of the DHCT 16.

Application clients can also be downloaded into DRAM 52 at the request of the SAM client 57, typically in response to a request by the user or in response to a message from the headend. In this non-limiting example DRAM 52 contains a media-on-demand

application (MOD) 63, an e-mail application 65, and a web browser application 66, among others (not shown). It should be clear to one with ordinary skill in the art that these applications are not limiting and merely serve as examples for this present embodiment of the invention. Furthermore, one or more DRAM based applications may,
5 as an alternative embodiment, be resident in flash memory 51. These applications, and others provided by the cable system operator, are top level software entities on the network for providing services to the user.

In one implementation, applications executing on the DHCT 16 work with the navigator 55 by abiding by several guidelines. First, an application utilizes the SAM
10 client 57 for the provision, activation, and suspension of services. Second, an application shares DHCT 16 resources with other applications and abides by the resource management policies of the SAM client 57, the operating system 53, and the DHCT 16. Third, an application handles situations where resources are only available with navigator 55 intervention. Fourth, when an application loses service authorization while providing
15 a service, the application suspends the service via the SAM (the navigator 55 will reactivate an individual service application when it later becomes authorized). Finally, an application client is designed to not have access to certain user input keys reserved by the navigator (i.e., power, channel +/-, volume +/-, etc.).

The MOD client application 63 provides the user with lists of available media titles to choose from and with video presentations requested by the user. The MOD client
20 application 63 provides video presentations to the user by engaging, preferably, in a direct two-way IP (Internet Protocol) connection with VOD content servers 22 (FIG. 2).

FIG. 3A is another depiction of selected elements of DHCT 16. DHCT 16 includes a tuner system 45 that can select one of a plurality of transmission channels
25 provided by a broadband network such as a Digital cable TV network or a Digital Broadband Delivery System (DBDS). Tuner system 45 enables the DHCT of the present invention to tune to downstream media and data transmissions, thereby allowing a user to receive digital or analog video programs and associated content transmitted in the downstream transmission via the DBDS.

The DHCT 16 includes demultiplexing system 200 comprising functionality for
30 QAM demodulation, forward error correction (FEC), transport demultiplexing and parsing. Transport demultiplexing may include MPEG-2 transport demultiplexing. The DHCT 16 also includes a digital video decoding system 210, a digital audio decoding system 220, a display output system such as RF output system 48, an "audio player and

output system” 230 that can feed audio samples to RF output system 48, and a processor 44.

5 The demultiplexing system 200 in communication with communication interface 42, tuner system 45 and processor 44 effects reception of compressed video streams, compressed audio streams, and data streams corresponding to a first video program to be separated from other programs and/or streams transported in the tuned transmission channel and to be stored in a first part of DRAM 52 of DHCT 16 assigned to receive packets of a first video program.

10 The demultiplexing system 200 in communication with the digital video decoding system 210 and processor 44 effect notification and/or transfer of received packets of one or more compressed video streams corresponding to a first video program from a first part of DRAM 52 to a second part of DRAM 52 assigned to digital video decoding system 210.

15 The demultiplexing system 200 in communication with the digital audio decoding system 220 and processor 44 effects notification and/or transfer of received packets of one or more compressed audio streams corresponding to a first video program from a first part of DRAM 52 to a third part of DRAM 52 assigned to digital audio decoding system 220.

20 The demultiplexing system 200 in communication with processor 44 and/or other data parsing and interpretation device (not shown) in DHCT 16 effects notification and/or transfer of received packets of one or more data streams corresponding to a first video program from a first part of DRAM 52 to a fourth part of DRAM 52 assigned for reception of data affiliated with a first video program.

25 The digital video decoding system 210 reads compressed video stored in a second part of DRAM 52 assigned to digital video decoding system 210 and effects decompression and reconstruction of compressed digital video streams into an assigned fifth part of DRAM 52, and in communication with the display output system (such as RF output system 48) effects presentation of video pictures in television 41.

30 The digital audio decoding system 220 reads compressed audio stored in a third part of DRAM 52 assigned to the digital audio decoding system 220 and effects decompression and reconstruction of compressed digital audio streams into an assigned sixth part of DRAM 52, and in communication with the audio player and output system 230 effects presentation of audio sample to television 41 and/or other audio output interfaces (not shown) in DHCT 16.

An executable program or algorithm corresponding to an operating system (OS) component, or to a client platform component, or to a client application, or to respective parts thereof, can reside in and execute out of DRAM 52 and/or flash memory 51. Likewise, data inputted into or outputted from any executable program can reside in
5 DRAM 52 or flash memory 51. Furthermore, an executable program or algorithm corresponding to an OS component, or to a client platform component, or to a client application, or to respective parts thereof, can reside in flash memory 51, or in a local storage device connected to DHCT 16 and can be transferred into DRAM 52 for execution. Likewise, data input for an executable program can reside in flash memory 51
10 or a storage device and can be transferred into DRAM 52 for use by an executable program or algorithm. In addition, data outputted by an executable program can be written into DRAM 52 by an executable program or algorithm and can be transferred into flash memory 51 or into a storage device for storage purposes. The present invention is not limited by where or how data and/or applications are stored or retrieved.

Each of the above mentioned applications comprises executable instructions for implementing logical functions and can be embodied in any computer-readable medium for use by or in connection with an instruction execution system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch and execute the instructions. In the context of this document, a "computer-readable medium" can be any means that can contain, store, communicate, propagate, or transport
15 the program for use by or in connection with the instruction execution system, apparatus, or device. The computer readable medium can be, for example but not limited to, an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system, apparatus, device, or propagation medium. More specific examples (a non-exhaustive
20 list) of the computer-readable medium would include the following: an electrical connection (electronic) having one or more wires, a portable computer diskette (magnetic), a random access memory (RAM) (electronic), a read-only memory (ROM) (electronic), an erasable programmable read-only memory (EPROM or Flash memory) (electronic), an optical fiber (optical), and a portable compact disc read-only memory (CDROM) (optical). Note that the computer-readable medium could even be paper or
25 another suitable medium upon which the program is printed, as the program can be electronically captured, via for instance optical scanning of the paper or other medium, then compiled, interpreted or otherwise processed in a suitable manner, and then stored in a computer memory.

FIG. 4 is a non limiting example of a remote control device 80 that is used to provide user input to the DHCT 16. The arrow buttons 82 include an up arrow button 83, a down arrow button 84, a left arrow button 85, and a right arrow button 86 that are used to scroll through options and/or to highlight an option. The select button 87 may be used to select a currently highlighted option that is provided to the user. Other buttons that are available on the remote control device will be discussed further below. Many alternative methods of providing user input may be used including a remote control device with different buttons and/or button layouts, a keyboard device, a voice activated device, etc. The invention described herein is not limited by the type of device used to provide user input.

With continued reference to FIGS. 3, 3A and 4 throughout the remaining figures, FIG. 5 depicts an example VOD rental selection window 100. As with other window examples discussed below, processor 44 executes program instructions of MOD client application 63 that cause it to direct the window manager 59 to create window 100 via display data that is formatted for television 41. Processor 44 stores the display data or parts thereof in DRAM 52 (as necessary) and transfers the display data to a display output system such as RF output system 48 wherein display data is converted to respective television signals and transmitted to television 41. Of course, the scope of the invention also includes any other method of causing the described windows to appear to the user.

A user may utilize the rental selection window 100 in order to request a video-on-demand rental. Top portion 101 of example window 100 typically contains one or more headings, while the bottom portion 102 typically illustrates relevant navigation buttons available on the remote control device 80. Video rental list 103 contains the titles of video presentations, such as video title 104, that are available for rent as well as a highlighted title area 105.

A user may scroll through the video rental list using the up and down arrow buttons 83, 84 on the remote control device 80 and may request a currently highlighted video title by activating the select button 87. For example, a user may activate the down arrow button 84 on the remote control device 80 until the selection "You've Got Mail" 109 is displayed in the highlighted title area 105 and then request to see the video titled "You've Got Mail" 109 by activating the select button 87. In an alternative embodiment, activating the up and down arrow buttons 83, 84 on the remote control device 80 results in the shifting of the highlighted title area 105 rather than the shifting of the video titles (at least until the top or bottom video titles are reached). A reduced screen area 106 displays

an image corresponding to the video title displayed in the highlighted title area 105. As the user scrolls through the video rental list 103, the image displayed in the reduced screen area 106 changes accordingly. Without any limitation to other scrolling and selection forms, the scrolling and selection mechanism described above is similarly applicable to other lists and windows herein.

FIG. 6 depicts an example rental period selection window 110 that is presented to a user after the user selects a movie from the rental selection window 100. The user is presented with a rental period list 111 containing rental periods 112, rental prices 113, and a highlighted selection area 113. Rental period information section 114 provides information about the rental period displayed in the highlighted selection area. A user may scroll to the desired rental period until it becomes highlighted and may then select a highlighted rental period by activating the select button 87 or may cancel the rental request by activating the exit button 91.

FIG. 7 depicts an example rental options selection window 120 that is presented to a user after the user selects a rental period via the rental period selection window 110. Rental options list 122 contains rental options, such as option 123, and a highlighted option area 126. The user may use the up and down arrows 83, 84 to designate a rental option as the highlighted rental option and may use the left and right arrow buttons 85, 86 in order to hop over to the setting list 125 and change the setting of the highlighted rental option 123. Example rental options include subtitles, pop-up comments, and letterbox display.

Information supplements such as pop-up comments settings may include comments from the director, the producer, actors, critics, or other viewers that are displayed at designated time intervals of the on-demand media presentation simultaneously with the on-demand media presentation.

Information supplements comprise media such as textual, graphical, video, or audio information, each to be presented as a single supplement or as a combined set of supplements with the VOD presentation. Information supplements comprise a specification of start time and duration interval in relation to the start of the on-demand title for which they are presented to the user or in relation to some other accessible starting point of the on-demand title such as a chapter. Herein such specification is referred to as the active time interval of the information supplement. An information supplement may exhibit one or more active time interval specifications during the course

of the VOD title presentation. The time interval specification enables an information supplement to be presented to the user in a time-synchronized fashion.

Information supplements also comprise other specifications such as screen positioning relative to the picture display of the on-demand title enabling a supplement's
5 respective presentation to overlay the picture display in a predetermined manner to minimize occlusion of the picture.

Popup alerts are optional graphical supplements such as arrows that point attention to inconspicuous parts of the on-demand video picture presentation. They possess active time interval and screen location specifications.

10 Auditory alerts are optional supplements that are mixed with the audio of the on-demand video program and possess active time interval designation of one or more speaker channels for which to mix the audio supplement, and volume specification.

Multiple video views are optional supplements that provide different camera angles of the media presentation. Their presentation is accomplished with a split-picture
15 display presentation or a picture-in-picture (PIP) presentation. The specification for a multi-video view supplement comprises an active time interval, a screen position, and whether the presentation is effected as a split-screen or PIP supplement.

Advertisement pop-ups are optional supplements that enable the user to receive product information during the on-demand video presentation in exchange for a lower
20 rental fee. The advertisements may be specific to products inherent during the course of the on-demand movie such as a watch worn by a leading actor. Furthermore, the advertisement supplement's active time interval may be concurrent to the time in the movie that the leading actor reads the time on the watch.

Upon a user setting an optional request for one or more information supplements,
25 the MOD client application 63 initiates processor 44 to enable data streams carrying information supplements corresponding to an on-demand video program to be received by demultiplexing system 200, to be transferred to the fourth part of DRAM assigned for reception of data. Supplementary textual or graphical data is then decoded, parsed and interpreted by processor 44 and/or other data parsing and interpretation device (not
30 shown) in DHCT 16 and transferred into a graphics display buffer 240 as graphics data.

Alternatively, if the supplementary data or parts thereof comprise a digital audio component, it is decoded by a first digital audio decoding system 220 or a second digital audio decoding system (not shown) and the supplementary audio is transferred to an assigned Pulse Code Modulation (PCM) audio buffer 250 in DRAM 52. The audio

player and output system 240 effects mixing of the supplementary audio stored in the PCM buffer with the designated audio channel of the reconstructed digital audio of the on-demand video program stored in the sixth part of DRAM 52.

Alternatively, if the supplementary data or parts thereof comprise a digital video component, it is received as a video stream of the on-demand video program and processed in DHCT 16 as described above, each processing operation is performed by an aforementioned first processing component in DHCT 16, respectively, or a similar second processing component in DHCT 16 (not shown).

A supplementary video picture may be decompressed by digital video decoding system 210 and scaled down as it is being reconstructed in a procedural fashion with video scaling unit 260 to effect a picture in picture presentation. The scaled down reconstructed picture can be stored in a scaled video picture buffer 270 in DRAM 52. Simultaneous display of the on-demand video picture with a supplementary scaled down video picture 270 can be constructed with supplementary graphical and textual information stored in graphics display buffer 240.

Downscaled video pictures overlay on-demand video presentation by the composition capabilities of DHCT 16 (not shown) and positioned (likely at a corner of screen) as specified by the information supplement specification and only visible during the respective specified active time interval.

Graphical and textual data corresponding to a pop-up supplement overlay the on-demand video presentation on designated screen location per their respective specification and are only visible during their respective specified active time interval

The DHCT 16 has an internal clock 280 and timers 290 that enable computation of the time relationship between its internal clock and clock specified by digital video program. Hence, by reading and interpreting the clock and time stamps specifications intrinsic in the digital video program (for example, as provisioned in MPEG-2), DHCT 16 can effect an output as a synchronized presentation to the user that includes the reconstructed on-demand video pictures, the reconstructed digital audio samples, and supplementary information.

FIG. 8 depicts an example stopped video window 130 that is presented to the user after the user stops the presentation of a video rental for which actors' pop-up comments had been activated. The reduced screen area 106 displays an image from the media rental that was being presented to the user prior to example window 130 being displayed. Information section 131 contains information related to the media rental associated with

the image displayed in the reduced screen area 106, including numerical and graphical indications 136 as to the playing time and rental time remaining for the media rental. Rental control options list 133 contains rental control options, such as the option to “De-activate comments” 134, and a highlighted option area 135. A user can de-activate pop-up comments by selecting the “De-activate comments” option 134 via the remote control device 80. Once this option is selected, the “Actor’s comments activated” message 132 is replaced with a message indicating that pop-up comments have been de-activated, and pop-up comments are no longer presented to the user during the remainder of the rental period unless the user subsequently requests otherwise.

FIG. 9 depicts an example stopped video window 140 that is presented to the user after the user stops the presentation of a video rental for which pop-up comments are not activated. Rental control options list 133 contains rental control options, such as the option to “Activate pop-up comments” 144, and a highlighted option area 135. A user can activate pop-up comments by selecting the “Activate pop-up comments” option 144 via the remote control device 80. In one embodiment, the user may select an “Add comments” option 145 which enables the user to add comments to the rental selection via the keyboard 73 (FIG. 3) or via an infra-red keyboard (not shown). Comments added by a user during a video presentation are displayed on the television 41 and are stored by the MOD client application 63 in the application memory 70. Once the rental period expires, user comments are transmitted by the MOD client application 63 to the MOD server application 19 (FIG. 2) which edits them (if necessary), integrates them with comments from other users associated with the same video title, and stores them in memory (not shown) at the headend 11. User comments may be edited for things such as vulgar language and excessive length. Integrated user comments associated with a specific media rental may then be presented to a subsequent user who request such comments along with the media rental. In one embodiment, user comments are edited or screened by a system operator.

FIG. 10 depicts an example pop-up comments selection window 150 that is presented to the user after the user selects the “Activate pop-up comments” option 144 via stopped video window 140. Pop-up comments selection list 153 contains pop-up comments types such as director’s comments 154, producer’s comments 155, actors’ comments 156, critics’ comments 157, and viewers’ comments 158. Once the user selects the type of comments that the user desires to view along with the video rental, such comments are displayed with the video rental the next time that the video rental is

presented to the user, unless the user subsequently requests otherwise. The comments may be displayed at the bottom of the television screen or may be proximally located to a displayed item or actor to which/whom the comments respectively pertain.

It should be emphasized that the above-described embodiments of the present invention, particularly any “preferred embodiments”, are merely possible examples of the implementations, merely setting forth a clear understanding of the principles of the inventions. Many variations and modifications may be made to the above-described embodiments of the invention without departing substantially from the spirit of the principles of the invention. All such modifications and variations are intended to be included herein within the scope of the disclosure and present invention and protected by the following claims.

Therefore, having thus described the invention, the following is claimed:

CLAIMS

1. A method for providing media to a user via an interactive media services client device coupled to a programmable media services server device, said method comprising steps of:

receiving user input requesting on-screen comments be provided with a media presentation;
providing the user with a media presentation; and
providing the user with comments related to the media presentation.

2. The method of claim 1, wherein the comments are selected from a group consisting of:

director comments, producer comments, actor comments, and viewer comments.

3. The method of claim 2, further comprising the step of:

prior to the step of receiving said user input, prompting the user for user input.

4. The method of claim 3, wherein the media presentation is a movie.

5. The method of claim 4, wherein the movie is a video-on-demand movie.

6. The method of claim 5, wherein the user determines the type of comments by selecting an option displayed on a display device.

7. The method of claim 6, wherein the user selects the displayed option by activating a button on a remote control device.

8. The method of claim 7, wherein the display device is a television screen.

9. The method of claim 1, further comprising the step of:

after the step of providing the user with a media presentation, receiving comments from the user related to the media presentation.

10. The method of claim 9, further comprising the step of:
after the step of receiving comments from the user related to the media
presentation, providing at least a portion of said comments to
another user.

5

11. An interactive media services client device for presenting media to a user coupled to a programmable media services server device, said client device comprising:
 - memory; and
 - 5 a processor coupled to the memory and configured to provide a user with a media presentation and comments related to the media presentation in response to user input.
12. The client device of claim 11, wherein the comments are not an inherent part of the media presentation.
13. The client device of claim 12, wherein the comments are selected from a group consisting of:
 - 15 director comments, producer comments, actor comments, and viewer comments.
14. The client device of claim 13, wherein the type of comments is responsive to user input.
15. The client device of claim 14, wherein the media presentation is a video-on-demand movie.
16. The client device of claim 15, wherein the user provides user input via a remote control device.
17. The client device of claim 16, wherein the media presentation is displayed on a television screen.

18. An interactive media services client device for presenting media to a user coupled to a programmable media services server device, said client device comprising:
memory; and
5 means connected to the memory for providing a user with a media presentation and comments related to said media presentation in response to user input.
19. The client device of claim 18, wherein the comments are not an inherent part of
10 the media presentation.
20. The client device of claim 19, wherein the comments are selected from a group consisting of:
director comments, producer comments, actor comments, and viewer
15 comments.
21. The client device of claim 20, wherein the type of comments is responsive to user input.
22. The client device of claim 21, wherein the media presentation is a video-on-
20 demand movie.
23. The client device of claim 22, wherein the user provides user input via a remote control device.
24. The client device of claim 23, wherein the media presentation is displayed on a
25 television screen.

25. A programmable media services server device for presenting media to a user via an interactive media services client device, said server device comprising:

memory; and

a processor connected to the memory and configured to provide a user with a media presentation and comments related to said media presentation in response to user input.

26. The server device of claim 25, wherein the comments are not an inherent part of the media presentation.

27. The server device of claim 26, wherein the comments are selected from a group consisting of:

director comments, producer comments, actor comments, and viewer comments.

28. The server device of claim 27, wherein the type of comments is responsive to user input.


29. The server device of claim 28, wherein the media presentation is a video-on-demand movie.

30. The server device of claim 29, wherein the user provides user input via a remote control device.

31. The server device of claim 30, wherein the media presentation is displayed on a television screen.

ABSTRACT OF THE DISCLOSURE

5 A method for providing media to a user via an interactive media services client device coupled to a programmable media services server device includes receiving user input requesting on-screen comments to be provided with a media presentation and providing the user with a media presentation along with comments related to the media presentation.



The diagram illustrates a VOD system architecture. At the top, a 'VOD CONTENT MANAGER' (21) is connected to a 'VOD MPEG-2 CONTENT SERVER' (22) via an 'ETHERNET' (32). The content server includes a 'VIDEO PUMP' (22). The content server is connected to a 'DATA INSERTION MULTIPLEXER' (29), which in turn connects to a 'DATA QAM' (30). The data QAM is connected to a 'QPSK MODEM' (26), which is connected to a 'HEADEND ROUTER' (27). The headend router is connected to a 'DIGITAL NETWORK CONTROL SYSTEM (DNCS)' (23). The DNCS includes a 'BFS SERVER' (28), a 'SAM SERVER' (25), and a 'DSM-CC' (34). The DNCS is connected to 'OTHER SERVER APPLICATIONS' (20) and a 'MOD SERVER APPLICATION' (19) via the 'ETHERNET' (32). The 'MOD SERVER APPLICATION' (19) is connected to the 'VOD CONTENT MANAGER' (21). The 'VOD CONTENT MANAGER' (21) is also connected to a 'SERVICE GROUP' (24). The 'SERVICE GROUP' (24) is connected to a 'SERVICE GROUP' (24) and a 'SERVICE GROUP' (24).

FIG. 3




FIG. 3A




FIG. 4





FIG. 6

110



120

FIG. 7




FIG. 8

130




FIG. 9

140





FIG. 10

150



11/ 11



**PATENT APPLICATION DECLARATION
COMBINED WITH POWER OF ATTORNEY**

Attorney's Docket No. **A-6694**

☒ Regular (Utility)

☐ Design Application

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

SYNCHRONIZED VIDEO-ON-DEMAND SUPPLEMENTS

the specification of which:

☒ is attached hereto

☐ was filed on:

as U.S. Serial No.:

and was amended on

(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119, of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign/PCT Application(s):

☒ no such application(s) filed.

☐ such application(s) identified as follows:

Country	Application Number	Date of Filing (day, month, year)	Priority Claimed Under 37 USC 119
			<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional applications(s) listed below:

Prior Provisional Application(s):

☐ no such application(s) filed.

☒ Such application(s) identified as follows:

Application Number	Date of Filing (day, month, year)
60/214,987	29 JUNE 2000

I hereby claim the priority benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which is material to the examination of this application and which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

Prior U.S. Application(s):

☐ no such application(s) filed.

☒ such application(s) as follows:

Application No.	Filing Date (day, month, year)	Status (Patented, Pending, Abandoned)
09/590,520	9 JUNE 2000	PENDING

I hereby declare that: as to any claimed subject matter of this application which is common to my earlier United States or foreign application(s), if any, which I have identified above and claimed the benefit of priority thereof, I do not believe that the same was ever known or used in the United States before my invention thereof or patented or described in any printed publication in any country before my invention thereof or more than one year prior to the first of said earlier application(s), or in public use or on sale in the United States more than one year prior to the first of said earlier application(s), and that the said common subject matter has not been patented or made the subject of an inventor's certificate before the date of the first of said earlier U.S. application(s) in any country foreign to the United States on an application, filed by me or my legal representatives or assigns more than twelve months (six months if the present application is a Design patent application) prior to the first of said earlier U.S. application(s), if any; and that, as to any claimed subject matter of this application which is not common to said earlier application(s), if any, I do not know and do not believe that the same was ever known or used in the United States before my invention thereof or patented or described in any printed publication in any country before my invention thereof or more than one year prior to the date of this application, or in public use or on sale in the United States more than one year prior to the date of this application, and that said subject matter has not been patented or made the subject of an inventor's certificate in any country foreign to the United States on an application filed by me or my legal representatives or assigns more than twelve months (six months if the present application is a Design patent application) prior to the date of this application.


I HEREBY APPOINT THE FOLLOWING AS MY ATTORNEY(S) OR AGENT(S) WITH FULL POWER OF SUBSTITUTION TO PROSECUTE THIS APPLICATION AND TRANSACT ALL BUSINESS IN THE PATENT AND TRADEMARK OFFICE CONNECTED THEREWITH:		
NAME(S)	REG. NO.(S)	ASSOCIATE POWER OF ATTORNEY ATTACHED
Kenneth M. Massaroni	33,015	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Hubert J. Barnhardt III	36,739	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Kelly A. Gardner	35,147	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
John Eric West	46,279	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Send correspondence to:

Scientific-Atlanta, Inc.
Intellectual Property Department
One Technology Parkway, South
Norcross, GA 30092-2967
Direct Telephone Calls to: (770) 236-5950

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of ^{first} named joint inventor	ARTURO A. RODRIGUEZ	
Inventor's signature		Date
Residence	NORCROSS	GEORGIA
	City	State or Foreign Country
Citizenship	UNITED STATES	
	Country	
Post Office Address	5315 ABIGAIL LANE	
	Street Address	
	NORCROSS	GA 30092
	City	State or Country Zip Code

Full name of ^{second} named joint inventor	DEAN F. JERDING	
Inventor's signature		Date 10/19/00
Residence	ROSWELL	GEORGIA
	City	State or Foreign Country
Citizenship	UNITED STATES	
	Country	
Post Office Address	315 SEVENTEENTH ^{FAIRWAY} FREEWAY	
	Street Address	
	ROSWELL	GA 30076
	City	State or Country Zip Code

